

# TOWN OF CARROLLTON

## CODE ENFORCEMENT

640 Main Street, Suite 1  
Limestone, NY 14753

Office: (716) 925-8842 Cellular: (716) 790-0073

[www.carrolltonny.org](http://www.carrolltonny.org) [carrolltoncode@gmail.com](mailto:carrolltoncode@gmail.com)



Permit #: \_\_\_\_\_ Issue Date: \_\_\_\_\_ Expiration Date: \_\_\_\_\_

### Applicant Information

### Owner Information

Name: \_\_\_\_\_  
(Print)

Name: \_\_\_\_\_  
(Print)

Address: \_\_\_\_\_  
(Street)

Address: \_\_\_\_\_  
(Street)

\_\_\_\_\_  
(City, State, Zip Code)

\_\_\_\_\_  
(City, State, Zip Code)

\_\_\_\_\_  
Contact Phone Number

\_\_\_\_\_  
Contact Phone Number

## SWIMMING POOL PERMIT APPLICATION

PLEASE ANSWER ALL THE QUESTIONS

- The Town of Carrollton Building Permit Application must accompany this Form

**TYPE OF POOL:**  In-Ground  Above-Ground  
 Round  Oval  Rectangular

### DIMENSIONS:

(If in-ground): **Length:** \_\_\_\_\_ **Width:** \_\_\_\_\_ **Depth:** \_\_\_\_\_

(If above-ground): **Overall Size:** \_\_\_\_\_ **Circumference:** \_\_\_\_\_ **Height:** \_\_\_\_\_

**(TYPE OF CONSTRUCTION)** For example: gunite, fiberglass or a plastic material

### (POOL MANUFACTURER'S NAME AND MODEL NUMBER)

- Where is the pool located on the property?  Rear Yard  Side Yard  Front Yard
- Does the pool occupy more than 25% of the yard area after excluding all private structures?  Yes  No
- What is the distance from the side property lines to the pool? \_\_\_\_\_
- What is the distance from the rear property line to the pool? \_\_\_\_\_
- What is the distance from the house foundation to the pool? \_\_\_\_\_
- What is the proposed drainage for the pool? \_\_\_\_\_
- Will there be a deck for the pool?  Yes  No (If Yes)  Attached  Detached
- Will the deck have a self-closing gate?  Yes  No
- Will there be lights operated or maintained in connection with the swimming pool?  Yes  No
- If yes, will the lights create an annoyance to the surrounding properties?  Yes  No  Unknown
- Will there be service drop conductors or any other overhead wiring above the swimming pool or an area surrounding the swimming pool which extends 10' horizontally from the edge of the pool, diving structures, observation stands, towers or platforms?  Yes  No

**Applicant's Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**CEO Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

# TOWN OF CARROLLTON

## CODE ENFORCEMENT

640 Main Street, Suite 1

Limestone, NY 14753

Office: (716) 925-8842 Cellular: (716) 790-0073

[www.carrolltonny.org](http://www.carrolltonny.org) [carrolltoncode@gmail.com](mailto:carrolltoncode@gmail.com)



### Brief Summary of Alarm Requirements for Outdoor Residential Swimming Pools:

The barrier must completely surround the swimming pool and must obstruct access to the swimming pool.

The barrier must be at least 4 feet (48 inches) high.

In the case of an above-ground pool, the barrier may be at ground level or mounted on top of the pool structure; however, if the barrier is mounted on top of the pool structure, the space between the top of the pool structure and the bottom of the barrier cannot exceed 4 inches.

A building wall can form part of the required barrier. However, where a wall of a dwelling serves as part of the barrier, at least one of the following requirements must be satisfied:

- The pool must be equipped with a power safety cover
- All doors with direct access to the pool through that wall must be equipped with an alarm
- Other means of protection, such as self-closing doors with self-latching devices, which are approved by the code enforcement officer or governing authority

In the case of an above-ground pool, the pool structure itself can serve as a part of the required barrier, provided that the pool structure is sufficiently rigid to obstruct access to the pool. However, where an above-ground pool structure is used as a barrier or where the barrier is mounted on top of the pool structure, and the means of access is a ladder or steps, then:

- The ladder or steps shall be capable of being secured, locked or removed to prevent access, or the ladder or steps shall be surrounded by a barrier
- When the ladder or steps are secured, locked or removed, any opening created shall not allow the passage of a 4-inch-diameter sphere.

Barriers shall be located so as to prohibit permanent structures, equipment or similar objects from being used to climb the barriers.

Barrier requirements for one-and Two-Family Dwelling Swimming Pools can be found in Appendix G, Residential Code

Barriers requirements for Residential Swimming Pools can be found in Chapter 31, Section 3109, Building Code

# TOWN OF CARROLLTON

## CODE ENFORCEMENT

640 Main Street, Suite 1

Limestone, NY 14753

Office: (716) 925-8842 Cellular: (716) 790-0073

[www.carrolltonny.org](http://www.carrolltonny.org) [carrolltoncode@gmail.com](mailto:carrolltoncode@gmail.com)



### Brief Summary of Alarm Requirements for Residential Swimming Pools:

Every swimming pool that is installed, constructed or substantially modified after December 14, 2006 must be equipped with an approved pool alarm which:

- Is capable of detecting a child entering the water and giving an audible alarm when it detects a child entering the water;
- Is audible poolside and at another location on the premises where the swimming pool is located;
- Is not an alarm device which is located on person(s) or which is dependent on device(s) located on person(s) for its proper operation.


A pool alarm must be capable of detecting entry into the water at any point on the surface of the swimming pool. If necessary to provide detection capability at every point on the surface of the swimming pool, more than one pool alarm must be installed.

Pool alarms are not required in:

- A hot tub or spa equipped with a safety cover or
- Any swimming pool (other than a hot tub or spa) equipped with an automatic power safety cover.

# General guide for electric installation for a swimming pool. Contact an Electrical Inspector first!

Notice: This graphic depiction is for reference only. Contact a qualified electrician if necessary. Electrical Inspection required.



- > Use weatherproof boxes on 4 x 4 Posts or equivalent
- > Call for inspection before covering conduit

# TOWN OF CARROLLTON

## CODE ENFORCEMENT

640 Main Street, Suite 1  
Limestone, NY 14753

Office: (716) 925-8842 Cellular: (716) 790-0073  
[www.carrolltonny.org](http://www.carrolltonny.org) [carrolltoncode@gmail.com](mailto:carrolltoncode@gmail.com)



Additional pool requirements such as anti-entrapment devices (suction fittings), safety glazing, backflow prevention, pool heaters and other requirements may be found in the Uniform Fire Prevention and Building Code and the Energy Conservation Construction Code.

### Helpful Pool Safety Links

**US Consumer Product Safety Commission (CPSC)**  
(Swimming Pool Safety Tips)  
[www.cpsc.gov/CPSCPUB/PREREL/prhtml74/74056.html](http://www.cpsc.gov/CPSCPUB/PREREL/prhtml74/74056.html)

**CPSC Pool and Spa Safety Publications**  
[www.cdsc.gov/CPSCPUB/PUBS/chdrown.html](http://www.cdsc.gov/CPSCPUB/PUBS/chdrown.html)

**American Red Cross**  
The American Red Cross  
<http://www.health.state.ny.us>

**National Safe Kids Campaign**  
[www.safekids.org](http://www.safekids.org)

**APSP**  
National Spa and Pool Institute  
<http://www.nspi.org>

**Underwriters Laboratories**  
<http://www.ul.com>